GENERAL NOTES

All rough grading shall be positive, draining away from all structures.

All stones larger than 1.5" diameter shall be removed from the growing medium.

Topsoil shall be provided in accordance to BMP T5.13 WSDOE Stormwater Management Manual for Western

All bed areas to receive 2" of fine ground fir or hemlock bark, composition mulches are not an acceptable alternative.

Trees and shrubs are to be planted at a depth 3/4" higher than the level that they were grown in the nursery.

Bark mulch is not to be placed above the root crown.

All plants shall at least conform to the minimum standard established by the american association of

Lawn areas are to be hydroseeded per manufacturer's specifications, OR EQUIVALENT. Remove all stones larger than 1" from lawn areas.

Equivalent plant material substitutions may be allowed with prior approval by the Landscape Architect.

If the site work is different than shown on the Landscape Plan, or poor soils and debris are discovered, requiring changes to the Landscape Plan, contact the Landscape Architect for

The Landscape Contractor is responsible for maintaining the landscape during installation, until final acceptance by the owner's representative.

The Landscape Contractor shall warranty all materials and workmanship for a period of one year, from the time of final acceptance.

During the warranty period, the Landscape Contractor will not be responsible for plant death caused by unusual climatic conditions, vandalism, theft, fire, or poor maintenance practices. The Landscape Architect shall have sole authority to determine the cause of

Planting plan takes precedent when there is a discrepancy between plant quantities in the plant schedule and the plan.

A PORTION OF THE SE 1/4 OF THE NE 1/4 OF SEC 33, TWN 24 N, RGE 6 E, WM. KING COUNTY, WASHINGTON

IRRIGATION ASSESSMENT

All proposed plants are native or have naturalized to the Pacific Northwest and are drought tolerant. Once established, irrigation will not be required. As necessary, tree bags will be provided for all proposed trees and filled from the months of June through September.

TREE CALCULATIONS

GROSS SITE AREA: 178,638 SF 4.10 AC

NET DEVELOPABLE AREA: 81,920 SF


18.12.1385 Tree Retention Requirements: 30% of the total caliper (dbh) of all significant trees in developable site area. 913 Viable inches x 30% = 274 inches retention required 399 Viable Inches retained in Tracts 993 and 994. (based on arborist report from Arbor Info, LLC dated July 24, 2020)


69 trees to be removed due to development within the net buildable area. Tree density within the proposed tree retention area (tracts 993 and 994) was calculated based on a sample of 0.3 acres on which all viable trees were measured

Measured Viable Diameters on 0.3 acres = 363 Inches. Total Viable Inches (Tract 993 and 994 = .33/.30 x 363 = 399 Viable Inches

18.12.1370 Minimum Tree Density Requirements: min. tree density shall be maintained in the developable site area of all developed sites. The tree density may consist of existing significant trees (tract 993 and tract 994), replacement trees, or a combination of both.


Single Family Lots: 2 significant trees per 5,000 sq ft. Developable Area = 81,920sf 81,963 sf / 5000 sf x 2 = 33 trees required 33 trees provided (22 replacement + 11 retained trees)







1031 185TH AVE NE SNOHOMISH, WA 98290 TEL: 425.346.1905



STATE OF WASHINGTON LICENSED LANDSCAPE ARCHITECT

> KRYSTAL LOWE LICENCE NO. 1206

REVISIONS: # DESCRIPTION DATE 1 CITY COMMENTS 6-11-21

240 SW FRANCIS LN ISSAQUAH, WA 98077

DRAWING TITLE: LANDSCAPE PLAN

SUPERIOR STEEL IRONWORKERS, INC

DRAWING INFORMATION ODG PROJECT #: 20-311 DRAWN BY: MY CHECKED BY: KL


DATE:


APPLICANT:


JULY 28, 2020

SHEET NO:

A PORTION OF THE SE 1/4 OF THE NE 1/4 OF SEC 33, TWN 24 N, RGE 6 E, WM. KING COUNTY, WASHINGTON











PICNIC TABLE

PICNIC TABLE PACIFIC OUTDOOR PRODUCTS PRODUCT CODE: SE-5335 QUANTITY: 1 (425) 432-6000 OR EQUIVALENT



QUANTITY: 1 SET AMAZON.COM QUICKPLAY Q-FOLD SOCCER GOAL OR EQUIVALENT

- PUBLIC RIGHT OF WAY- WIDTH VARIES -BY THE CITY.


8. STREET TREES SHALL BE PLANTED IN A PLANTING STRIP WITH A MINIMUM OF FIVE (5) FEET BETWEEN THE SIDEWALK AND THE BACK OF THE CURB

7. TREE PIT AREA SHALL BE A MINIMUM OF 24 SQUARE FEET.

8. ROOT BARRIER SHALL EXTEND A MINIMUM OF 5 FEET BEYOND TREE (REFER TO MANUFACTURERS DETAIL). Back to Table of Contents NO SCALE STANDARD TYPICAL STREET TREE DETAIL NO. LOCATION REQUIREMENTS L-03

PLANTING BASE OF UNDISTURBED OR COMPACTED TOP SOIL TO SUPPORT ROOT BALL AND REDUCE SETTLING APPROVED DEPT. DATE TREE LOCATION TO BE VERIFIED NOT TO CONFLICT WITH UNDERGROUND UTILITIES A MIN. OF 3 FT CLEAR ZONE EACH SIDE. NO SCALE STANDARD DETAIL NO. Back to Table of Contents ISSAGUA H
PUBLIC WORKS DEPARTMENT
APPIL 2010 TREE PLANTING DETAIL

ORIGIN 1031 185TH AVE NE SNOHOMISH, WA 98290 TEL: 425.346.1905



STATE OF WASHINGTON LICENSED LANDSCAPE ARCHITECT

KRYSTAL LOWE LICENCE NO. 1206 REVISIONS:

#	DESCRIPTION	DATE
1	CITY COMMENTS	6-11-21
i		

EDWARDS PROPERTY 240 SW FRANCIS LN ISSAQUAH, WA 98027 **EDWARDS**

DRAWING TITLE: LANDSCAPE PLAN APPLICANT:

> **SUPERIOR STEEL** IRONWORKERS, INC.

DRAWING INFORMATION ODG PROJECT #: 20-311

CHECKED BY: KL DATE:

DRAWN BY: MY

JULY 28, 2020

SHEET NO:

SOCCER GOALS

A PORTION OF THE SE 1/4 OF THE NE 1/4 OF SEC 33, TWN 24 N, RGE 6 E, WM. KING COUNTY, WASHINGTON


PLANT SCHEDULE						
DECIDUOUS TREES	<u>QTY</u>	BOTANICAL NAME	COMMON NAME	SIZE	CONTAINER	SPACING
	4	Acer rubrum `Bowhall`	Bowhall Maple	2" Cal.	B&B	SPACING AS SHOWN
	2	Amelanchier x grandiflora `Autumn Brilliance`	Autumn Brilliance Serviceberry	2" Cal.	В&В	SPACING AS SHOWN
	13	Cornus nuttalii x florida `Eddie`s White Wonder`	Eddie`s White Wonder Dogwood	2" Cal.	B&B	30` O.C.
	3	Fraxinus oxycarpa `Raywood` TM	Raywood Ash	2" Cal.	B&B	30` O.C.
GROUND COVERS	QTY	BOTANICAL NAME	COMMON NAME	SIZE	CONTAINER	SPACING
\(\frac{\psi}{\psi}\) \(\psi\)	10,080 sf	Turf Hydroseed	Hydroseed Sun/Shade Mix	seed		





DESIGN GROUP

1031 185TH AVE NE
SNOHOMISH, WA 98290



TEL: 425.346.1905

STATE OF
WASHINGTON
LICENSED
LANDSCAPE ARCHITECT

KRYSTAL LOWE LICENCE NO. 1206

REV	ISIONS:	
#	DESCRIPTION	DATE
1	CITY COMMENTS	6-11-21

EDWARDS PROPERTY 240 SW FRANCIS LN ISSAQUAH, WA 98027

DRAWING TITLE:

LANDSCAPE PLAN

APPLICANT:

SUPERIOR STEEL AND IRONWORKERS, INC.

DRAWING INFORMATION

ODG PROJECT #: 20-311

DRAWN BY: MY

CHECKED BY: KL

DATE:

JULY 28, 2020

SHEET NO:

L-3OF 3